

Client: Arch Research

Certified: 09/07/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	GLP2-Tirz	Form	Lyophilized Powder
Batch	AP-08A2	Labeled Qty	10 mg
Cap Color	Yellow	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.666%
Batch Avg Net Content	(~10mg)	10.74 mg
Identity Confirmation (LC-MS)	(GLP2-Tirz)	GLP2-Tirz
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS
Fentanyl Presence Analysis	(Not Detected)	Not Detected
Rapid Sterility Screening	(No Growth)	No Growth

HEAVY METAL SCREENING



Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.492	10.77
Vial 2	99.839	10.71
Batch Average	99.666%	10.74 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandival
Lab Director



koveralabs.com/verify

Report#: KVR-2026-BA0D4D
Access Code: YGZ9JG1